



6 White Dove Ct. Lakewood NJ 08701  
Tel- (732)719-5649 Fax – (732)358-0168  
Cert # 00407A Cert # 00430E  
Asb # 01200

---

08/04/2026

Re: 520 Chestnut Ave., Trenton, NJ 08611

To whom it may concern,

We have sampled the drinking water at the above property for lead and copper. Please note the Federal Action for Copper is 1,300 ug/l (ppb) and for lead is 15 ug/l (ppb).

The following results were found to be above the action level for lead and copper:

- Girls Bath Sink 1 1<sup>st</sup> Draw
- Girls Bath Sink 2 1<sup>st</sup> Draw
- Girls Bath Sink 4 1<sup>st</sup> Draw
- Kitchen Sink 1 2<sup>nd</sup> Draw
- Kitchen Sink 2 2<sup>nd</sup> Draw
- Kitchen Sink 3 1<sup>st</sup> Draw

Feel Free to contact us with any questions.

Ariel Kinsbursky  
(732)719-5649



30105 Beverly Road  
Romulus, MI 48174  
Ph: 734-629-8161; Fax: 734-629-8431

## Certificate of Analysis: Lead In Drinking Water by EPA Method 200.5

**Client :** AAA Lead Professionals  
6 White Dove Court  
Lakewood, NJ 08701

**Attn :** Joseph Perlstein **Email :** joe@aaaleadpro.com  
**Phone :** 732-668-9078 **Fax :**

**AAT Project :** 1321427  
**Sampling Date :** 07/24/2026  
**Date Received :** 07/28/2026  
**Date Analyzed :** 07/30/2026  
**Date Reported :** 08/04/2026

**Client Project :** 520 CHESTNUT AVE TRENTON **Collected By :** ARIEL KINSBURSKY

**WSSN :** NP

**Project Location :** 520 CHESTNUT AVE TRENTON NJ

**Client Comment :** +Removed sample 50 per client email. 7-29-26

| Sample ID | Client Code | Sample Description              | Purpose | Collection Time | Results Lead mg/L (ppm) | Reporting Limit | Pb Threshold |
|-----------|-------------|---------------------------------|---------|-----------------|-------------------------|-----------------|--------------|
| 11708510  | 39          | STAFF BATH SINK 1ST DRAW        | NA      |                 | <0.0020                 | 0.0020          | Below        |
| 11708511  | 40          | STAFF BATH SINK 2ND DRAW        | NA      |                 | <0.0020                 | 0.0020          | Below        |
| 11708512  | 41          | COSTOSIAL SINK 1ST DRAW         | NA      |                 | <0.0020                 | 0.0020          | Below        |
| 11708513  | 42          | COSTOSIAL SINK 2ND DRAW         | NA      |                 | <0.0020                 | 0.0020          | Below        |
| 11708514  | 43          | 202 SINK 1ST DRAW               | NA      |                 | 0.0041                  | 0.0020          | Below        |
| 11708515  | 44          | 202 SINK 2ND DRAW               | NA      |                 | <0.0020                 | 0.0020          | Below        |
| 11708516  | 45          | CLST 2ND FL SINK 1ST DRAW       | NA      |                 | <0.0020                 | 0.0020          | Below        |
| 11708517  | 46          | CLST 2ND FL SINK 2ND DRAW       | NA      |                 | <0.0020                 | 0.0020          | Below        |
| 11708518  | 47          | 209 SINK 1ST DRAW               | NA      |                 | 0.0031                  | 0.0020          | Below        |
| 11708519  | 48          | 209 SINK 2ND DRAW               | NA      |                 | <0.0020                 | 0.0020          | Below        |
| 11708520  | 49          | STAFF BATH 2ND FL SINK 1ST DRAW | NA      |                 | 0.0033                  | 0.0020          | Below        |
| 11708522  | 51          | 207 SINK 1ST DRAW               | NA      |                 | 0.0059                  | 0.0020          | Below        |
| 11708523  | 52          | 207 SINK 2ND DRAW               | NA      |                 | 0.0075                  | 0.0020          | Below        |
| 11708524  | 53          | NURSE OFFICE SINK 1ST DRAW      | NA      |                 | 0.0030                  | 0.0020          | Below        |
| 11708525  | 54          | NURSE OFFICE SINK 2ND DRAW      | NA      |                 | <0.0020                 | 0.0020          | Below        |

ND = Not Detected, N/A = Not Available, NP = Not Provided, RL = Reporting Limit, The Analytical Reporting Limit for Pb is: 0.002 mg/L (ppm) and for Cu is 0.0025 mg/L (ppm). A "<" indicates the reported result is below AAT's reporting limit. For true values assume (2) significant figures. AAT internal SOP S230. The method and batch QC are acceptable unless otherwise stated. EPA Regulatory Limits: 0.015 mg/L for Pb and 1.3 mg/L for Cu ; MI Regulatory Limits: 0.012 mg/L for Pb and 1.3 mg/L for Cu. The laboratory operates in accord with NELAC guidelines and holds accreditation under the NY State DOH ELAP program. These results are submitted pursuant to AAT, LLC current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. Analytical results relate to the samples as received by the lab. AAT will not assume any liability or responsibility for the manner in which the results are used or interpreted. All Quality control requirements for the samples this report contains have been met. Sample data apply only to items analyzed. Reproduction of this document other than in its entirety is not authorized by AAT, LLC. Samples are stored for 15 days following report date.



NY State DOH ELAP - Lab ID # 11864, Michigan State Lab # 9996

Date Printed: 08/04/2026

AAT Project: 1321427

| Sample ID | Client Code | Sample Description              | Purpose | Collection Time | Results Lead mg/L (ppm) | Reporting Limit | Pb Threshold |
|-----------|-------------|---------------------------------|---------|-----------------|-------------------------|-----------------|--------------|
| 11708526  | 55          | NURSE OFFICE BATH SINK 1ST DRAW | NA      |                 | 0.0031                  | 0.0020          | Below        |
| 11708527  | 56          | NURSE OFFICE BATH SINK 2ND DRAW | NA      |                 | <0.0020                 | 0.0020          | Below        |
| 11708528  | 57          | BOYS BATH SINK 1 1ST DRAW       | NA      |                 | 0.0034                  | 0.0020          | Below        |
| 11708529  | 58          | BOYS BATH SINK 1 2ND DRAW       | NA      |                 | 0.0063                  | 0.0020          | Below        |
| 11708530  | 59          | BOYS BATH SINK 2 1ST DRAW       | NA      |                 | 0.0021                  | 0.0020          | Below        |
| 11708531  | 60          | BOYS BATH SINK 2 2ND DRAW       | NA      |                 | 0.0117                  | 0.0020          | Below        |
| 11708532  | 61          | BOYS BATH SINK 3 1ST DRAW       | NA      |                 | 0.0089                  | 0.0020          | Below        |
| 11708533  | 62          | BOYS BATH SINK 3 2ND DRAW       | NA      |                 | <0.0020                 | 0.0020          | Below        |
| 11708534  | 63          | BOYS BATH SINK 4 1ST DRAW       | NA      |                 | 0.0028                  | 0.0020          | Below        |
| 11708535  | 64          | BOYS BATH SINK 4 2ND DRAW       | NA      |                 | <0.0020                 | 0.0020          | Below        |
| 11708536  | 65          | GIRLS BATH SINK 1 1ST DRAW      | NA      |                 | 0.0934                  | 0.0020          | Above        |
| 11708537  | 66          | GIRLS BATH SINK 1 2ND DRAW      | NA      |                 | <0.0020                 | 0.0020          | Below        |
| 11708538  | 67          | GIRLS BATH SINK 2 1ST DRAW      | NA      |                 | 0.0224                  | 0.0020          | Above        |
| 11708539  | 68          | GIRLS BATH SINK 2 2ND DRAW      | NA      |                 | 0.0023                  | 0.0020          | Below        |
| 11708540  | 69          | GIRLS BATH SINK 3 1ST DRAW      | NA      |                 | 0.0032                  | 0.0020          | Below        |
| 11708541  | 70          | GIRLS BATH SINK 3 2ND DRAW      | NA      |                 | 0.0054                  | 0.0020          | Below        |
| 11708542  | 71          | GIRLS BATH SINK 4 1ST DRAW      | NA      |                 | 0.0230                  | 0.0020          | Above        |
| 11708543  | 72          | GIRLS BATH SINK 4 2ND DRAW      | NA      |                 | <0.0020                 | 0.0020          | Below        |
| 11708544  | 73          | BOYS BATH BSMT SINK 1 1ST DRAW  | NA      |                 | 0.0022                  | 0.0020          | Below        |
| 11708545  | 74          | BOYS BATH BSMT SINK 1 2ND DRAW  | NA      |                 | <0.0020                 | 0.0020          | Below        |
| 11708546  | 75          | BOYS BATH BSMT SINK 2 1ST DRAW  | NA      |                 | 0.0088                  | 0.0020          | Below        |
| 11708547  | 76          | BOYS BATH BSMT SINK 2 2ND DRAW  | NA      |                 | 0.0122                  | 0.0020          | Below        |
| 11708548  | 77          | STAFF BATH BSMT SINK 1 1ST DRAW | NA      |                 | 0.0020                  | 0.0020          | Below        |

ND = Not Detected, N/A = Not Available, NP = Not Provided, RL = Reporting Limit, The Analytical Reporting Limit for Pb is: 0.002 mg/L (ppm) and for Cu is 0.0025 mg/L (ppm). A "<" indicates the reported result is below AAT's reporting limit. For true values assume (2) significant figures. AAT internal SOP S230. The method and batch QC are acceptable unless otherwise stated. EPA Regulatory Limits: 0.015 mg/L for Pb and 1.3 mg/L for Cu ; MI Regulatory Limits: 0.012 mg/L for Pb and 1.3 mg/L for Cu. The laboratory operates in accord with NELAC guidelines and holds accreditation under the NY State DOH ELAP program. These results are submitted pursuant to AAT, LLC current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. Analytical results relate to the samples as received by the lab. AAT will not assume any liability or responsibility for the manner in which the results are used or interpreted. All Quality control requirements for the samples this report contains have been met. Sample data apply only to items analyzed. Reproduction of this document other than in its entirety is not authorized by AAT, LLC. Samples are stored for 15 days following report date.



| Sample ID | Client Code | Sample Description              | Purpose | Collection Time | Results Lead mg/L (ppm) | Reporting Limit | Pb Threshold |
|-----------|-------------|---------------------------------|---------|-----------------|-------------------------|-----------------|--------------|
| 11708549  | 78          | STAFF BATH BSMT SINK 1 2ND DRAW | NA      |                 | <0.0020                 | 0.0020          | Below        |
| 11708550  | 79          | STAFF BATH BSMT SINK 2 1ST DRAW | NA      |                 | <0.0020                 | 0.0020          | Below        |
| 11708551  | 80          | STAFF BATH BSMT SINK 2 2ND DRAW | NA      |                 | <0.0020                 | 0.0020          | Below        |
| 11708552  | 81          | TCHRS LNG SINK 1ST DRAW         | NA      |                 | 0.0091                  | 0.0020          | Below        |
| 11708553  | 82          | TCHRS LNG SINK 2ND DRAW         | NA      |                 | <0.0020                 | 0.0020          | Below        |
| 11708554  | 83          | KIT SINK 1 1ST DRAW             | NA      |                 | 0.0032                  | 0.0020          | Below        |
| 11708555  | 84          | KIT SINK 1 2ND DRAW             | NA      |                 | 0.0091                  | 0.0020          | Below        |
| 11708556  | 85          | KIT SINK 2 1ST DRAW             | NA      |                 | 0.0033                  | 0.0020          | Below        |
| 11708557  | 86          | KIT SINK 2 2ND DRAW             | NA      |                 | 0.0055                  | 0.0020          | Below        |
| 11708558  | 87          | KIT SINK 3 1ST DRAW             | NA      |                 | <0.0020                 | 0.0020          | Below        |
| 11708559  | 88          | KIT SINK 3 2ND DRAW             | NA      |                 | <0.0020                 | 0.0020          | Below        |

Analyst Signature



Anthony Ceiri



Joseph Kenwabikise



Zachary St John

ND = Not Detected, N/A = Not Available, NP = Not Provided, RL = Reporting Limit, The Analytical Reporting Limit for Pb is: 0.002 mg/L (ppm) and for Cu is 0.0025 mg/L (ppm). A '<' indicates the reported result is below AAT's reporting limit. For true values assume (2) significant figures. AAT internal SOP S230. The method and batch QC are acceptable unless otherwise stated. EPA Regulatory Limits: 0.015 mg/L for Pb and 1.3 mg/L for Cu ; MI Regulatory Limits: 0.012 mg/L for Pb and 1.3 mg/L for Cu. The laboratory operates in accord with NELAC guidelines and holds accreditation under the NY State DOH ELAP program. These results are submitted pursuant to AAT, LLC current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. Analytical results relate to the samples as received by the lab. AAT will not assume any liability or responsibility for the manner in which the results are used or interpreted. All Quality control requirements for the samples this report contains have been met. Sample data apply only to items analyzed. Reproduction of this document other than in its entirety is not authorized by AAT, LLC. Samples are stored for 15 days following report date.



NY State DOH ELAP - Lab ID # 11864, Michigan State Lab # 9996

Date Printed: 08/04/2026

AAT Project: 1321427



30105 Beverly Road  
Romulus, MI 48174  
Ph: 734-629-8161; Fax: 734-629-8431

## Certificate of Analysis: Copper In Drinking Water by EPA Method 200.5

**Client :** AAA Lead Professionals  
6 White Dove Court  
Lakewood, NJ 08701

**Attn :** Joseph Perlstein **Email :** joe@aaaleadpro.com  
**Phone :** 732-668-9078 **Fax :**

**AAT Project :** 1321427  
**Sampling Date :** 07/24/2026  
**Date Received :** 07/28/2026  
**Date Analyzed :** 07/30/2026  
**Date Reported :** 08/04/2026

**Client Project :** 520 CHESTNUT AVE TRENTON NJ **Collected By :** ARIEL KINSBURSKY  
**Project Location :** 520 CHESTNUT AVE TRENTON NJ

**WSSN :** NP

Client Comment: +Removed sample 50 per client email. 7-29-26

| Sample ID | Client Code | Sample Description         | Purpose | Collection Tim | Results Copper mg/L (ppm) | Cu Threshold |
|-----------|-------------|----------------------------|---------|----------------|---------------------------|--------------|
| 11708510  | 39          | STAFF BATH SINK 1ST DRAW   | NA      |                | 0.0384                    | Below        |
| 11708511  | 40          | STAFF BATH SINK 2ND DRAW   | NA      |                | 0.0496                    | Below        |
| 11708512  | 41          | COSTOSIAL SINK 1ST DRAW    | NA      |                | 0.0845                    | Below        |
| 11708513  | 42          | COSTOSIAL SINK 2ND DRAW    | NA      |                | 0.0569                    | Below        |
| 11708514  | 43          | 202 SINK 1ST DRAW          | NA      |                | 0.1657                    | Below        |
| 11708515  | 44          | 202 SINK 2ND DRAW          | NA      |                | 0.0665                    | Below        |
| 11708516  | 45          | CLST 2ND FL SINK 1ST DRAW  | NA      |                | 0.0730                    | Below        |
| 11708517  | 46          | CLST 2ND FL SINK 2ND DRAW  | NA      |                | 0.0648                    | Below        |
| 11708518  | 47          | 209 SINK 1ST DRAW          | NA      |                | 0.1854                    | Below        |
| 11708519  | 48          | 209 SINK 2ND DRAW          | NA      |                | 0.0385                    | Below        |
| 11708520  | 49          | FF BATH 2ND FL SINK 1ST DF | NA      |                | 0.0783                    | Below        |
| 11708522  | 51          | 207 SINK 1ST DRAW          | NA      |                | 0.0853                    | Below        |
| 11708523  | 52          | 207 SINK 2ND DRAW          | NA      |                | 0.0344                    | Below        |
| 11708524  | 53          | URSE OFFICE SINK 1ST DRAI  | NA      |                | 0.2462                    | Below        |
| 11708525  | 54          | URSE OFFICE SINK 2ND DRAI  | NA      |                | 0.0445                    | Below        |
| 11708526  | 55          | SE OFFICE BATH SINK 1ST DI | NA      |                | 0.3704                    | Below        |
| 11708527  | 56          | SE OFFICE BATH SINK 2ND D  | NA      |                | 0.0439                    | Below        |
| 11708528  | 57          | 3OYS BATH SINK 1 1ST DRAW  | NA      |                | 0.0465                    | Below        |
| 11708529  | 58          | 3OYS BATH SINK 1 2ND DRAW  | NA      |                | 0.0478                    | Below        |
| 11708530  | 59          | 3OYS BATH SINK 2 1ST DRAW  | NA      |                | 0.0647                    | Below        |

ND = Not Detected, N/A = Not Available, NP = Not Provided, RL = Reporting Limit. The Analytical Reporting Limit for Pb is: 0.002 mg/L (ppm) and for Cu is 0.0025 mg/L (ppm). A "<" indicates the reported result is below AAT's reporting limit. For true values assume (2) significant figures. AAT internal SOP S230. The method and batch QC are acceptable unless otherwise stated. EPA Regulatory Limits: 0.015 mg/L for Pb and 1.3 mg/L for Cu ; MI Regulatory Limits: 0.012 mg/L for Pb and 1.3 mg/L for Cu. The laboratory operates in accord with NELAC guidelines and holds accreditation under the NY State DOH ELAP program. These results are submitted pursuant to AAT, LLC current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. Analytical results relate to the samples as received by the lab. AAT will not assume any liability or responsibility for the manner in which the results are used or interpreted. All Quality control requirements for the samples this report contains have been met. Sample data apply only to items analyzed. Reproduction of this document other than in its entirety is not authorized by AAT, LLC. Samples are stored for 15 days following report date.



NY State DOH ELAP - Lab ID # 11864, Michigan State Lab # 9996

Date Printed: 08/04/2026

AAT Project: 1321427

| Sample ID | Client Code | Sample Description         | Purpose | Collection Tim | Results Copper<br>mg/L (ppm) | Cu Threshold |
|-----------|-------------|----------------------------|---------|----------------|------------------------------|--------------|
| 11708531  | 60          | 3OYS BATH SINK 2 2ND DRAW  | NA      |                | 0.0460                       | Below        |
| 11708532  | 61          | 3OYS BATH SINK 3 1ST DRAW  | NA      |                | 0.0454                       | Below        |
| 11708533  | 62          | 3OYS BATH SINK 3 2ND DRAW  | NA      |                | 0.0810                       | Below        |
| 11708534  | 63          | 3OYS BATH SINK 4 1ST DRAW  | NA      |                | 0.0483                       | Below        |
| 11708535  | 64          | 3OYS BATH SINK 4 2ND DRAW  | NA      |                | 0.0531                       | Below        |
| 11708536  | 65          | 3IRLS BATH SINK 1 1ST DRAW | NA      |                | 0.2670                       | Below        |
| 11708537  | 66          | 3IRLS BATH SINK 1 2ND DRAW | NA      |                | 0.0337                       | Below        |
| 11708538  | 67          | 3IRLS BATH SINK 2 1ST DRAW | NA      |                | 0.0683                       | Below        |
| 11708539  | 68          | 3IRLS BATH SINK 2 2ND DRAW | NA      |                | 0.0374                       | Below        |
| 11708540  | 69          | 3IRLS BATH SINK 3 1ST DRAW | NA      |                | 0.0497                       | Below        |
| 11708541  | 70          | 3IRLS BATH SINK 3 2ND DRAW | NA      |                | 0.0579                       | Below        |
| 11708542  | 71          | 3IRLS BATH SINK 4 1ST DRAW | NA      |                | 0.0929                       | Below        |
| 11708543  | 72          | 3IRLS BATH SINK 4 2ND DRAW | NA      |                | 0.0371                       | Below        |
| 11708544  | 73          | 7S BATH BSMT SINK 1 1ST DF | NA      |                | 0.0793                       | Below        |
| 11708545  | 74          | 7S BATH BSMT SINK 1 2ND DF | NA      |                | 0.0450                       | Below        |
| 11708546  | 75          | 7S BATH BSMT SINK 2 1ST DF | NA      |                | 0.0512                       | Below        |
| 11708547  | 76          | 7S BATH BSMT SINK 2 2ND DF | NA      |                | 0.0486                       | Below        |
| 11708548  | 77          | FF BATH BSMT SINK 1 1ST DF | NA      |                | 0.1123                       | Below        |
| 11708549  | 78          | FF BATH BSMT SINK 1 2ND DF | NA      |                | 0.0820                       | Below        |
| 11708550  | 79          | FF BATH BSMT SINK 2 1ST DF | NA      |                | 0.0686                       | Below        |
| 11708551  | 80          | FF BATH BSMT SINK 2 2ND DF | NA      |                | 0.0556                       | Below        |
| 11708552  | 81          | TCHRS LNG SINK 1ST DRAW    | NA      |                | 0.1104                       | Below        |
| 11708553  | 82          | TCHRS LNG SINK 2ND DRAW    | NA      |                | 0.0508                       | Below        |
| 11708554  | 83          | KIT SINK 1 1ST DRAW        | NA      |                | 0.0344                       | Below        |
| 11708555  | 84          | KIT SINK 1 2ND DRAW        | NA      |                | 2.5582                       | Above        |
| 11708556  | 85          | KIT SINK 2 1ST DRAW        | NA      |                | 0.0586                       | Below        |
| 11708557  | 86          | KIT SINK 2 2ND DRAW        | NA      |                | 2.3322                       | Above        |
| 11708558  | 87          | KIT SINK 3 1ST DRAW        | NA      |                | 2.2928                       | Above        |
| 11708559  | 88          | KIT SINK 3 2ND DRAW        | NA      |                | 0.0946                       | Below        |

ND = Not Detected, N/A = Not Available, NP = Not Provided, RL = Reporting Limit. The Analytical Reporting Limit for Pb is: 0.002 mg/L (ppm) and for Cu is 0.0025 mg/L (ppm). A "<" indicates the reported result is below AAT's reporting limit. For true values assume (2) significant figures. AAT internal SOP S230. The method and batch QC are acceptable unless otherwise stated. EPA Regulatory Limits: 0.015 mg/L for Pb and 1.3 mg/L for Cu ; MI Regulatory Limits: 0.012 mg/L for Pb and 1.3 mg/L for Cu. The laboratory operates in accord with NELAC guidelines and holds accreditation under the NY State DOH ELAP program. These results are submitted pursuant to AAT, LLC current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. Analytical results relate to the samples as received by the lab. AAT will not assume any liability or responsibility for the manner in which the results are used or interpreted. All Quality control requirements for the samples this report contains have been met. Sample data apply only to items analyzed. Reproduction of this document other than in its entirety is not authorized by AAT, LLC. Samples are stored for 15 days following report date.



| Sample ID | Client Code | Sample Description | Purpose | Collection Tim | Results Copper<br>mg/L (ppm) | Cu Threshold |
|-----------|-------------|--------------------|---------|----------------|------------------------------|--------------|
|-----------|-------------|--------------------|---------|----------------|------------------------------|--------------|

Analyst Signature



Anthony Ceiri



Joseph Kenwabikise



Zachary St John

ND = Not Detected, N/A = Not Available, NP = Not Provided, RL = Reporting Limit, The Analytical Reporting Limit for Pb is: 0.002 mg/L (ppm) and for Cu is 0.0025 mg/L (ppm). A '<' indicates the reported result is below AAT's reporting limit. For true values assume (2) significant figures. AAT internal SOP S230. The method and batch QC are acceptable unless otherwise stated. EPA Regulatory Limits: 0.015 mg/L for Pb and 1.3 mg/L for Cu ; MI Regulatory Limits: 0.012 mg/L for Pb and 1.3 mg/L for Cu. The laboratory operates in accord with NELAC guidelines and holds accreditation under the NY State DOH ELAP program. These results are submitted pursuant to AAT, LLC current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. Analytical results relate to the samples as received by the lab. AAT will not assume any liability or responsibility for the manner in which the results are used or interpreted. All Quality control requirements for the samples this report contains have been met. Sample data apply only to items analyzed. Reproduction of this document other than in its entirety is not authorized by AAT, LLC. Samples are stored for 15 days following report date.





30105 Beverly Road  
Romulus, MI 48174  
Ph: 734-629-8161; Fax: 734-629-8431

To : AAA Lead Professionals  
6 White Dove Court  
Lakewood, NJ 08701

Attn : Joseph Perlstein

Email : joe@aaaleadpro.com

Phone : 732-668-9078

Project Location : 520 CHESTNUT AVE TRENTON NJ

AAT Project : 1321427

Client Project : 520 CHESTNUT AVE TRENTON

Date Reported 08/04/2026

| Sample   | Client Code | Analysis Requested      | Completed  | Analyst            |
|----------|-------------|-------------------------|------------|--------------------|
| 11708510 | 39          | Pb/Cu in Drinking Water | 07/30/2026 | Joseph Kenwabikise |
| 11708511 | 40          | Pb/Cu in Drinking Water | 07/30/2026 | Joseph Kenwabikise |
| 11708512 | 41          | Pb/Cu in Drinking Water | 07/30/2026 | Joseph Kenwabikise |
| 11708513 | 42          | Pb/Cu in Drinking Water | 07/30/2026 | Joseph Kenwabikise |
| 11708514 | 43          | Pb/Cu in Drinking Water | 07/30/2026 | Joseph Kenwabikise |
| 11708515 | 44          | Pb/Cu in Drinking Water | 07/30/2026 | Joseph Kenwabikise |
| 11708516 | 45          | Pb/Cu in Drinking Water | 07/30/2026 | Joseph Kenwabikise |
| 11708517 | 46          | Pb/Cu in Drinking Water | 07/30/2026 | Joseph Kenwabikise |
| 11708518 | 47          | Pb/Cu in Drinking Water | 07/30/2026 | Joseph Kenwabikise |
| 11708519 | 48          | Pb/Cu in Drinking Water | 07/30/2026 | Joseph Kenwabikise |
| 11708520 | 49          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri      |
| 11708522 | 51          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri      |
| 11708523 | 52          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri      |
| 11708524 | 53          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri      |
| 11708525 | 54          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri      |
| 11708526 | 55          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri      |
| 11708527 | 56          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri      |
| 11708528 | 57          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri      |
| 11708529 | 58          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri      |
| 11708530 | 59          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri      |
| 11708531 | 60          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri      |
| 11708532 | 61          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri      |
| 11708533 | 62          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri      |
| 11708534 | 63          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri      |
| 11708535 | 64          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri      |
| 11708536 | 65          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri      |
| 11708537 | 66          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri      |

This report is intended for use solely by the individual or entity to which it is addressed. It may contain information that is privileged, confidential and otherwise exempt by law from disclosure. If the reader of this information is not the intended recipient or an employee of its intended recipient, you are herewith notified that any dissemination, distribution or copying of this information is strictly prohibited. If you have received this information in error, please notify AAT immediately. Thank you.

| Sample   | Client Code | Analysis Requested      | Completed  | Analyst         |
|----------|-------------|-------------------------|------------|-----------------|
| 11708538 | 67          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri   |
| 11708539 | 68          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri   |
| 11708540 | 69          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri   |
| 11708541 | 70          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri   |
| 11708542 | 71          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri   |
| 11708543 | 72          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri   |
| 11708544 | 73          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri   |
| 11708545 | 74          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri   |
| 11708546 | 75          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri   |
| 11708547 | 76          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri   |
| 11708548 | 77          | Pb/Cu in Drinking Water | 07/31/2026 | Anthony Ceiri   |
| 11708549 | 78          | Pb/Cu in Drinking Water | 07/31/2026 | Zachary St John |
| 11708550 | 79          | Pb/Cu in Drinking Water | 07/31/2026 | Zachary St John |
| 11708551 | 80          | Pb/Cu in Drinking Water | 07/31/2026 | Zachary St John |
| 11708552 | 81          | Pb/Cu in Drinking Water | 07/31/2026 | Zachary St John |
| 11708553 | 82          | Pb/Cu in Drinking Water | 07/31/2026 | Zachary St John |
| 11708554 | 83          | Pb/Cu in Drinking Water | 07/31/2026 | Zachary St John |
| 11708555 | 84          | Pb/Cu in Drinking Water | 07/31/2026 | Zachary St John |
| 11708556 | 85          | Pb/Cu in Drinking Water | 07/31/2026 | Zachary St John |
| 11708557 | 86          | Pb/Cu in Drinking Water | 07/31/2026 | Zachary St John |
| 11708558 | 87          | Pb/Cu in Drinking Water | 07/31/2026 | Zachary St John |
| 11708559 | 88          | Pb/Cu in Drinking Water | 07/31/2026 | Zachary St John |

**Reviewed By**

Elyse Bidle  
Quality Assurance Coordinator

This report is intended for use solely by the individual or entity to which it is addressed. It may contain information that is privileged, confidential and otherwise exempt by law from disclosure. If the reader of this information is not the intended recipient or an employee of its intended recipient, you are herewith notified that any dissemination, distribution or copying of this information is strictly prohibited. If you have received this information in error, please notify AAT immediately. Thank you.

Lead Corp



LEAD PROFESSIONALS  
aaaleadpro.com

AAA LEAD PROFESSIONALS  
6 WHITE DOVE CT  
LAKEWOOD NJ 08701  
732-668-9078

| SAME<br>DAY | 24 HR<br>TAT | 48 HR<br>TAT | 72 HR<br>TAT |
|-------------|--------------|--------------|--------------|
|             |              |              |              |

CHAIN OF CUSTODY

ADDRESS: 520 CHESTNUT AVE TRENTON NJ

1178510

| SAMPLE | ROOM                                | PLACE  | AREA                 |  |
|--------|-------------------------------------|--------|----------------------|--|
| 39     | STAFF BATH                          | SINK   | 1 <sup>ST</sup> DRAW |  |
| 40     | "                                   | "      | 2 <sup>ND</sup> DRAW |  |
| 41     | COSTOSIAL                           | SINK   | 1 <sup>ST</sup> DRAW |  |
| 42     | "                                   | "      | 2 <sup>ND</sup> DRAW |  |
| 43     | 202                                 | SINK   | 1 <sup>ST</sup> DRAW |  |
| 44     | "                                   | "      | 2 <sup>ND</sup> DRAW |  |
| 45     | CLOSET 2 <sup>ND</sup><br>FLOOR     | SINK   | 1 <sup>ST</sup> DRAW |  |
| 46     | "                                   | "      | 2 <sup>ND</sup> DRAW |  |
| 47     | 209                                 | SINK   | 1 <sup>ST</sup> DRAW |  |
| 48     | "                                   | "      | 2 <sup>ND</sup> DRAW |  |
| 49     | STAFF BATH 2 <sup>ND</sup><br>FLOOR | SINK   | 1 <sup>ST</sup> DRAW |  |
| 50     | "                                   | "      | 2 <sup>ND</sup> DRAW |  |
| 51     | 207                                 | SINK   | 1 <sup>ST</sup> DRAW |  |
| 52     | "                                   | "      | 2 <sup>ND</sup> DRAW |  |
| 53     | NURSE OFFICE                        | SINK   | 1 <sup>ST</sup> DRAW |  |
| 54     | "                                   | "      | 2 <sup>ND</sup> DRAW |  |
| 55     | NURSE OFFICE<br>BATH                | SINK   | 1 <sup>ST</sup> DRAW |  |
| 56     | "                                   | "      | 2 <sup>ND</sup> DRAW |  |
| 57     | BOYS BATH                           | SINK 1 | 1 <sup>ST</sup> DRAW |  |
| 58     | "                                   | "      | 2 <sup>ND</sup> DRAW |  |
| 59     | BOYS BATH                           | SINK 2 | 1 <sup>ST</sup> DRAW |  |
| 60     | "                                   | "      | 2 <sup>ND</sup> DRAW |  |

TAKEN AND RELINQUISHED BY:

ARIEL KINSBURSKY

*A. Kinsbursky*

DATE: 7/24 /2026

Signature

3122-1321427

Don 7-28-26 A



LEAD PROFESSIONALS

aaaleadpro.com

AAA LEAD PROFESSIONALS  
6 WHITE DOVE CT  
LAKEWOOD NJ 08701  
732-668-9078

| SAME<br>DAY | 24 HR<br>TAT | 48 HR<br>TAT | 72 HR<br>TAT |
|-------------|--------------|--------------|--------------|
|             |              |              |              |

CHAIN OF CUSTODY

ADDRESS: 520 CHESTNUT AVE TRENTON NJ

| SAMPLE | ROOM                   | PLACE  | AREA                 |  |
|--------|------------------------|--------|----------------------|--|
| 61     | BOYS BATH              | SINK 3 | 1 <sup>ST</sup> DRAW |  |
| 62     | "                      | "      | 2 <sup>ND</sup> DRAW |  |
| 63     | BOYS BATH              | SINK 4 | 1 <sup>ST</sup> DRAW |  |
| 64     | "                      | "      | 2 <sup>ND</sup> DRAW |  |
| 65     | GIRLS BATH             | SINK 1 | 1 <sup>ST</sup> DRAW |  |
| 66     | "                      | "      | 2 <sup>ND</sup> DRAW |  |
| 67     | GIRLS BATH             | SINK 2 | 1 <sup>ST</sup> DRAW |  |
| 68     | "                      | "      | 2 <sup>ND</sup> DRAW |  |
| 69     | GIRLS BATH             | SINK 3 | 1 <sup>ST</sup> DRAW |  |
| 70     | "                      | "      | 2 <sup>ND</sup> DRAW |  |
| 71     | GIRLS BATH             | SINK 4 | 1 <sup>ST</sup> DRAW |  |
| 72     | "                      | "      | 2 <sup>ND</sup> DRAW |  |
| 73     | BOYS BATH<br>BASEMENT  | SINK 1 | 1 <sup>ST</sup> DRAW |  |
| 74     | "                      | "      | 2 <sup>ND</sup> DRAW |  |
| 75     | BOYS BATH<br>BASEMENT  | SINK 2 | 1 <sup>ST</sup> DRAW |  |
| 76     | "                      | "      | 2 <sup>ND</sup> DRAW |  |
| 77     | STAFF BATH<br>BASEMENT | SINK 1 | 1 <sup>ST</sup> DRAW |  |
| 78     | "                      | "      | 2 <sup>ND</sup> DRAW |  |
| 79     | STAFF BATH<br>BASEMENT | SINK 2 | 1 <sup>ST</sup> DRAW |  |
| 80     | "                      | "      | 2 <sup>ND</sup> DRAW |  |

TAKEN AND RELINQUISHED BY:

ARIEL KINSBURSKY

*A. Kinsbursky*

DATE: 7/24 /2026

Signature

*On 7-28-26 a*

[aaaleadpro.com](http://aaaleadpro.com)

| SAME DAY | 24 HR TAT | 48 HR TAT | 72 HR TAT |
|----------|-----------|-----------|-----------|
|          |           |           |           |

## CHAIN OF CUSTODY

ADDRESS: 520 CHESTNUT AVE TRENTON NJ

[illegible]

TAKEN AND RELINQUISHED BY:

ARIEL KINSBURSKY

A. kinsbary

Signature

DATE: 7 /24 /2026

Am 7-28-26 9