

6 White Dove Ct. Lakewood NJ 08701 Tel- (732)668-9078 Fax – (732)358-0168 Cert # 00407A Cert # 00430E

02/10/2022

To whom it may concern

Re: 171 Division Street, Trenton, NJ

We have sampled the drinking water at the above property for lead. Please note the Federal Action Level for lead is 15 ug/l (ppb).

All results were found to be below the action level

Thank you very much.

Sincerely,

Joseph Perlstein



30105 Beverly Road Romulus, MI 48174

Ph: 734-629-8161; Fax: 734-629-8431

Certificate of Analysis: Lead In Drinking Water by EPA Method 200.5

Client : AAA Lead Professionals AAT Project: 759658

Sampling Date: 02/02/2022 6 White Dove Court Lakewood, NJ 08701 $\textbf{Date Received}:\ 02/07/2022$

Attn: Joseph Perlstein Email: joe@aaaleadpro.com Date Analyzed: 02/08/2022 732-668-9078 Date Reported: 02/09/2022 Phone: Fax:

WSSN: Client Project : 171 DIVISION ST TRENTON N. Collected By: MATITIA CHARBIT

171 DIVISION ST TRENTON NJ **Project Location:**

Sample ID	Client Code	Sample Description	Purpose	Collection Time	Results Lead mg/L (ppm)	Reporting Limit	Pb Threshold
7129767	1	BOYS BATH IMMDT	NA		0.0050	0.0010	Below
7129768	2	BOYS BATH AFTR RNG	NA		<0.0010	0.0010	Below
7129769	3	GIRLS BATH IMMDT	NA		0.0179	0.0010	Above
7129770	4	GIRLS BATH AFTR RNG	NA		<0.0010	0.0010	Below
7129771	5	STAFF BATH IMMDT	NA		0.0053	0.0010	Below
7129772	6	STAFF BATH AFTR RNG	NA		<0.0010	0.0010	Below
7129773	7	PANTRY IMMDT	NA		0.0086	0.0010	Below
7129774	8	PANTRY AFTR RNG	NA		0.0073	0.0010	Below
7129775	9	KITCHEN IMMDT	NA		0.0078	0.0010	Below
7129776	10	KITCHEN AFTR RNG	NA		0.0012	0.0010	Below
7129777	11	NURSE RM IMMDT	NA		<0.0010	0.0010	Below
7129778	12	NURSE RM AFTR RNG	NA		<0.0010	0.0010	Below
7129779	13	DIRECTOR BATH IMMDT	NA		0.0091	0.0010	Below
7129780	14	DIRECTOR BATH AFTR RNG	NA		0.0119	0.0010	Below
7129781	15	KITCHEN IMMDT	NA	_	<0.0010	0.0010	Below

ND = Not Detected, N/A = Not Available, RL = Reporting Limit, The Analytical Reporting Limit for Pb is: 0.001 mg/L (ppm) and for Cu is 0.0015 mg/L (ppm).

For true values assume (2) significant figures. AAT internal SOP S230. The method and batch QC are acceptable unless otherwise stated. EPA Regulatory Limits: 0.015 mg/L for Pb and 1.3 mg/L for Cu

The laboratory operates in accord with NELAC guidelines and holds accreditation under the NY State DOH ELAP program. These results are submitted pursuant to AAT, LLC current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. Analytical results relate to the samples as received by the lab. AAT will not assume any liability or responsibility for the manner in which the results are used or interpreted. All Quality control requirements for the samples this report contains have been met. Sample data apply only to items analyzed. Reproduction

of this document other than in its entirety is not authorized by AAT, LLC. Samples are stored for 15 days following report date.

NY State DOH ELAP - Lab ID # 11864, Michigan State Lab # 9996

Date Printed: 02/09/2022 AAT Project: 759658

Sample ID	Client Code	Sample Description	Purpose	Collection Time	Results Lead mg/L (ppm)	Reporting Limit	Pb Threshold
7129782	16	KITCHEN AFTR RNG	NA		<0.0010	0.0010	Below
7129783	17	STAFF BATH IMMDT	NA		0.0010	0.0010	Below
7129784	18	STAFF BATH AFTR RNG	NA		<0.0010	0.0010	Below
7129785	19	BATH BSMT IMMDT	NA		<0.0010	0.0010	Below
7129786	20	BATH BSMT AFTR RNG	NA		<0.0010	0.0010	Below
7129787	21	PRESCHL BATH 1 IMMDT	NA		<0.0010	0.0010	Below
7129788	22	PRESCHL BATH 1 AFTR RNG	NA		<0.0010	0.0010	Below
7129789	23	PRESCHL BATH 2 IMMDT	NA		0.0064	0.0010	Below
7129790	24	PRESCHL BATH 2 AFTR RNG	NA		<0.0010	0.0010	Below
7129791	25	BABY RM IMMDT	NA		0.0018	0.0010	Below
7129792	26	BABY RM AFTR RNG	NA		<0.0010	0.0010	Below

Analyst Signature

Joseph Kenwabikise

John Store

ND = Not Detected, N/A = Not Available, RL = Reporting Limit, The Analytical Reporting Limit for Pb is: 0.001 mg/L (ppm) and for Cu is 0.0015 mg/L (ppm).

For true values assume (2) significant figures. AAT internal SOP S230. The method and batch QC are acceptable unless otherwise stated. EPA Regulatory Limits: 0.015 mg/L for Pb and 1.3 mg/L for Cu

The laboratory operates in accord with NELAC guidelines and holds accreditation under the NY State DOH ELAP program. These results are submitted pursuant to AAT, LLC current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. Analytical results relate to the samples as received by the lab. AAT will not assume any liability or responsibility for the manner in which the results are used or interpreted. All Quality control requirements for the samples this report contains have been met. Sample data apply only to items analyzed. Reproduction

of this document other than in its entirety is not authorized by AAT, LLC. Samples are stored for 15 days following report date.



NY State DOH ELAP - Lab ID # 11864, Michigan State Lab # 9996 Date Printed: 02/09/2022

AAT Project: 759658 Page 2 of 4



30105 Beverly Road Romulus, MI 48174

Date Reported: 02/09/2022

Ph: 734-629-8161; Fax: 734-629-8431

To: AAA Lead Professionals AAT Project: 759658
6 White Dove Court Client Project: 171 DIVISION ST TRENTON NJ

6 White Dove Court Lakewood, NJ 08701

Attn:

Joseph Perlstein Email: joe@aaaleadpro.com

Phone: 732-668-9078

Project Location: 171 DIVISION ST TRENTON NJ

Sample	Client Code	Analysis Requested	Completed	Analyst
7129767	1	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129768	2	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129769	3	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129770	4	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129771	5	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129772	6	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129773	7	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129774	8	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129775	9	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129776	10	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129777	11	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129778	12	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129779	13	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129780	14	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129781	15	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129782	16	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129783	17	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129784	18	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129785	19	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129786	20	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129787	21	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129788	22	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129789	23	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129790	24	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129791	25	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise
7129792	26	Pb/Cu in Drinking Water	02/08/2022	Joseph Kenwabikise

This report is intended for use solely by the individual or entity to which it is addressed. It may contain information that is privileged, confidential and otherwise exempt by law from disclosure. If the reader of this information is not the intended recipient or an employee of its intended recipient, you are herewith notified that any dissemination, distribution or copying of this information is strictly prohibited. If you have received this information in error, please notify AAT immediately. Thank you.

NY State DOH ELAP -Lab ID #11864, Michigan State Lab # 9996

Date Printed: 02/09/2022 12:48PM AAT Project: 759658

Reviewed By

Quality Assurance Coordinator - Stephen Northcott

This report is intended for use solely by the individual or entity to which it is addressed. It may contain information that is privileged, confidential and otherwise exempt by law from disclosure. If the reader of this information is not the intended recipient or an employee of its intended recipient, you are herewith notified that any dissemination, distribution or copying of this information is strictly prohibited. If you have received this information in error, please notify AAT immediately. Thank you.

NY State DOH ELAP -Lab ID #11864, Michigan State Lab # 9996

Date Printed: 02/09/2022 12:48PM AAT Project: 759658



AAA LEAD PROFESSIONALS 6 WHITE DOVE CT LAKEWOOD NJ 08701 732-668-9078

24 HR	48 HR	72 HR
TAT	TAT	TAT
		2
		\prec
		24 HR 48 HR TAT TAT

CHAIN OF CUSTODY

ADDRESS: 171 DIVISION ST TRENTON NJ

SAMPLE	ROOM	PLACE	AREA	
1	BOYS	IMMEDIATE		
	BATHROOM			
2		AFTER		
	4	RUNING		
3	GIRLS	IMMEDIATE		
	BATHROOM			
4	i. /	AFTER		
		RUNING		
5	STAFF BATH	IMMEDIATE		
6)]	AFTER		
(No.	1 2	RUNING		
7	PANTRY	IMMEDIATE		
8	,)	AFTER		
		RUNING		
9	KITCHEN	IMMEDIATE		
10	. ,	AFTER		
	1 1	RUNING		
11	NURSE ROOM	IMMEDIATE		
	1			
12	J 1	AFTER		
		RUNING		
13	DIRECTOR	IMMEDIATE		
	BATH			
14	95	AFTER		
) *	RUNING		

TAKEN AND RELINQUISHED BY:

MATITIA CHARBIT

DATE: 1 /2 / 12

Signature



AAA LEAD PROFESSIONALS 6 WHITE DOVE CT LAKEWOOD NJ 08701 732-668-9078

SAME	24 HR	48 HR	72 HR
DAY	TAT	TAT	TAT
			Ø

CHAIN OF CUSTODY

ADDRESS: 84 VREELAND AVE PATERSON NJ

SAMPLE	ROOM	PLACE	AREA	
15	KITCHEN	IMMEDIATE		
16		AFER		
		RUNING		
17	STAFF BATH	IMMEDIATE		
18		AFER		
		RUNING		
19	BATHROOM	IMMEDIATE		
	BASEMENT			
20		AFER		
		RUNING		
21	PRESCHOOL	IMMEDIATE		
	BATH 1			
22		AFER		
		RUNING		
23	PRESCHOOL	IMMEDIATE		
	BATH 2			
24		AFER		
		RUNING		
25	BABY ROOM	IMMEDIATE		
26		AFER		
		RUNING		

TAKEN AND RELINQUISH	ED BY:	
MATITIA CHARBIT		DATE: 23/2
	Signature	

Om 2-7- acen