

PHILIP D. MURPHY
Governor

SHEILA Y. OLIVER
Lt. Governor

DEPARTMENT OF EDUCATION PO Box 500 Trenton, NJ 08625-0500

ANGELICA ALLEN-MCMILLAN, Ed.D. *Acting Commissioner*

May 10, 2022

Efe Odeleye, School Director Achievers Early College Prep Charter School (7895), Mercer County 544 Chestnut Avenue Trenton, NJ 08611

via email

Re: Exemption from Testing for Lead in School Drinking Water

Dear Mr. Odeleye,

The New Jersey Department of Education (NJDOE) received your application for Exemption from the lead testing requirements for the statewide testing year of July 1, 2021 through June 30, 2022. In accordance with N.J.A.C. 6A:26-12.4(j) Safe Drinking Water in Schools, entities may request an exemption from the lead testing requirements if they can demonstrate that they do not use any drinking water outlets for consumption or food preparation in any of their facilities.

Based on the review of your application, the NJDOE grants Achievers Early College Prep Charter School an exemption request from lead testing. Pursuant to the regulations, this approval letter shall be made available for public inspection at all facilities for which the exemption is granted and on the entity's website. The entity must reapply for an exemption or begin lead testing every statewide testing year, the next being in the 2024-2025 school year.

For more information regarding Testing for Lead in School Drinking Water, visit NJDOE's website at https://www.nj.gov/education/lead/. For questions or concerns, email the NJDOE at leadtesting@doe.nj.gov.

Sincerely,

Susan Kutner

Susan Kuh

Director, Office of School Facilities Planning

SK/bs

c: Robert A. Jinks, Executive County Superintendent – Mercer County
Richard Kilpatrick, Executive County School Business Official – Mercer County